Index of Authors, Volume 10

Adhikary, GS, 70, 264
Affleck, PJ, 141
Agro, F, 263
Akata, T, 17, 321
Al Moutaery, KR, 646
Al-Bataineh, J, 666
Aldrete, JA, Jr, 309
Alexander, GD, 404
Amaki, Y, 32, 265
An, G, 410
Anders, JW, 561, 570
Anderson, PL, 327
Angdin, M, 126
Aono, H, 546
Appel, MI, 156
Arakawa, M, 551
Armstead, VE, 522
Artru, AA, 531
Asada, A, 514
Astudillo, R, 126
Atanassoff, PG, 641
Avramov, MN, 394
Axelrod, EH, 404
Ayoub, CM, 641

Barnas, GM, 103
Bay, C, 189
Beaty, B, 449
Belenker, SL, 506
Bell, GR, 666
Ben-Ari, G, (8)
Berkenstadt, H, (8)
Berkowitz, R, 372
Berman, J, 262
Berry, RA, 204
Bhatt, SB, 189
Biboulet, P, 606
Bircher, NG, 557
Boezaart, AP, 204
Borland, LM, 95
Borra, HM, 416
Boucek, CD, 557
Bouregba, M, 606
Bowes, WA, Jr, 58
Brandom, BW, 195
Brimacombe, J, 263, 386
Brohi, FA, 646
Brown, M, 404
Brown, RA, 145
Brownstein, AB, 338
Brull, SJ, 641
Bui, T, 66
Burgmann, H, 389
Burke, C, 91
Butler, CL, 13

Calimlim, JR, 109
Campos, C, 469
Canosa, LG, 211
Capdevila, X, 606
Carassiti, M, 263
Carlin, RE, 109
Carr, DB, 77
Carrillo, PA, 95
Carrithers, JA, 416
Casati, A, 652
Cataldo, R, 263
Cerone, SM, 457
Chang, Y, 314
Cheam, EWS, 524
Cheek, TG, 488
Chen, WX, 176
Cho, S, 222
Chuang, AZ, 469
Cohen, SP, 327
Cohn, AI, 681
Cole, PJ, 331
Conant, JA, 314
Connelly, NR, 613
Connors, PM, 314
Cook, DR, 195
Cooper, A, 380
Coté, CJ, 73, 262
Coukos, WJ, 518
Critchley, LAH, 524
Cullen, DJ, 267
Cusick, JM, 141

D'Agostino, R, 91
Davis, RF, 297
Dayal, B, 195
de Perrot, M, 678
Dear, GD, 631
Dear, RB, 631
Deckmyn, TJ, 160
Dedrick, SC, 77
Delaney, PA, 103
Derasari, M, 435
Derendorf, HC, 464
DeRiso, BM, 561, 570
D'Errico, C, 482
Dershwitz, M, 314
Desai, R, 380
Devulder, JE, 163
Dexter, EU, 457
Dexter, F, 457, 593
Diemunsch, P, 145
Dilger, JA, 666
Djurberg, HG, 646
Drenger, B, 137, 297

Edelist, G, 238
Egan, TD, 499
Eidelman, LA, 137
Elami, A, 137
Engel, LB, 561, 570
Epstein, RH, 41
Ereth, MH, 588
Evans, DAP, 646
Evans, JH, III, 561, 570
Ezri, T, 474

Fahy, BG, 103
Fanelli, G, 652
Ference, A, 195
Ferrarese, J, 66
Figallo, CM, 561, 570
Figueredo, ED, 211
Florete, OG, 1
Flowers, JL, 103
Frass, MRM, 389
Fredman, B, 623
Freeman, JA, 557
Freiberger, D, 494
Fu, FH, 561, 570
Fukusaki, M, 222, 539
Furuya, A, 242, 425

Gabrielli, A, 253
Gadalla, F, 670
Gaiser, RR, 488
Gallart, L, 36
Geffin, B, 278
Gentz, BA, 189
Gerber, HR, 360
Gerhardt, MA, 249
Geva, D, 474
Ghaly, R, 309
Giampalmo, M, 263
Gibbs, CP, 449
Gibby, GL, 253
Gimenez, K, 232
Ginsberg, B, 631
Glorioso, V, 380
Gold, MI, 46
Gosnell, JL, 494
Goto, H, 546
Goto, T, 200
Gozal, Y, 297
Gravenstein, D, 464
Greer, F, 366
Grichnik, KP, 249
Gutsche, BB, 488

Hadden, SM, 91
Haddy, SM, 603
Hagan, RH, 416
Hagay, Z, 153
Hagen, JF, 380
Hahn, RG, 357
Hahne, WF, 145

Journal of Clinical Anesthesia 10:687–689, 1998

© 1998 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/98/$19.00

Hamilton, DL, 6
Hammamura, RK, 386
Handy, RM, 13
Hara, T, 222, 539
Harbourne, K, 681
Harner, CD, 561, 570
Haruna, M, 120
Harvey, SC, 510
Hashimoto, T, 522
Hashimoto, Y, 184
Hass, F, 372
Hawkins, JL, 449
Hayashi, H, 120
Helmers, JHJH, 145
Herman, NL, 670
Hill, GE, 54
Hinkle, AJ, 263
Hoffman, WE, 372
Hohn, L, 678
Hoka, S, 551
Honda, I, 184
Horiguchi, T, 265
Hormann, M, 389
Hotz, J, 427
Howard, G, 469
Howard, RS, 353
Hsia, CCW, 268
Huang, J, 302
Husain, MM, 394

Ichinose, F, 200
Ilkin, H, 561, 570
Imai, Y, 660
Imamura, M, 619
Imanaka, H, 120
Isaac, P, 681
Ishimura, H, 228
Ismail, KM, 160
Izumo, K, 17

Jaber, S, 606
Jacobs, SC, 103
Jahr, JS, 427
Janicke, U, 114
Jedeikin, R, 623
Jenkins, W, 46
Joshi, GP, 268

Kagawa, K, 660
Kandabashi, T, 321
Kanna, T, 17
Kanter, G, 613
Kariya, N, 514
Kashimoto, S, 23
Kato, M, 184
Katz, J, 474
Katz, RI, 506
Kellaway, J, 469
Kelly, DJ, 641
Kerls, S, 195
Khalil, SN, 469
Kirkpatrick, AF, 435
Kirsch, MA, 416
Kishi, Y, 660
Kita, T, 660
Klock, PA, Jr., 28
Knapp, S, 389
Kodama, K, 17, 321
Kodsy, M, 666
Koff, HD, 670
Konrad, C, 360
Korttila, K, 145
Koska, AJ, 464
Kovacs, PL, 435
Krenis, LJ, 518
Kuller, JA, 58
Kumazawa, T, 23, 242, 425, 619
Kumon, K, 120

Laczika, KF, 389
Lamb, BD, 435
Landreneau, R, 557
Lark, TL, 13
Laubscher, JJ, 204
Lauretti, GR, 291
Laurito, CE, 176, 445
Lee, DS, 66
Lee, HT, 156
Leeser, J, 145
Lessin, JB, 41
Leung, WK, 427
Lewis, JF, 331
Liang, BA, 73, 353, 432, 610
Liao, X, 410
Lichtor, JL, 28
Licker, M, 678
Lin, Y-C, 401
Liska, J, 126
Liu, JH, 410
Lobato, EB, 1, 253, 331
Locker, GJ, 389
Lunn, JK, 54
Luo, LK, 410
Lupin, JL, 95
Lurie, S, 153
Lynch, ME, 386

Macario, A, 166, 457, 593
Maekawa, T, 222
Malviya, S, 91, 482
Mammoto, T, 660
Mangano, DT, 610
Mankarious, R, 469
Margolis, JO, 631
Marietta, DR, 54
Marr, AT, 41
Martin, K, 114
Martin-Salvaj, G, 449
Mascia, MF, 109
Massey, SR, 70, 264
Matsukawa, S, 184
Matsukawa, T, 23, 242, 425, 619
Matsumoto, T, 228
Mattos, AL, 291
Mayer, D, 58
Mayhew, J, 262, 614
McDonald, T, 372
McGraw, DJ, 109
McKenzie, R, 6
Melnik, H, 377
Miaskowski, C, 77
Miciotto, CJ, 268
Miller, R, 435
Miller, SR, 401
Mingay, DJ, 28
Mingus, ML, 46
Modell, JH, 347
Monaghan, TG, 518
Monk, TG, 46
Moore-Jeffries, E, 603
Morelli, A, 263
Morey, TE, 1
Morita, S, 200
Morrison, SG, 268
Motoyama, EK, 95
Murakami, K, 660
Murakami, M, 184
Mushin, AU, 309

Nagarajan, NJ, 560, 571
Nakamura, T, 222, 539
Nakata, Y, 200
Nakayama, T, 321
Narumi, Y, 23
Navé, S, 145
Nell, ML, 204
Nishi, S, 514
Nishiyama, T, 619
Niwa, H, 265
Nuttall, GA, 588

Oberlander, D, 302
Oguchi, T, 23
O'Hara, J, Jr, 133, 656
Ohashi, Y, 120
Oliver, WC, Jr, 588
Olsfanger, D, 623
Olsson, S-O, 114
Orleans, M, 449
Ornstein, E, 137
Ott, E, 114
Overdyk, FJ, 510
Oxorn, D, 238
Ozaki, M, 242, 425, 619

Paige, GB, 1
Pan, PH, 286
Pantle-Fisher, F, 28
Pereira, NL, 291
Perel, A, 636
Philip, BK, 272
Philipov, A, 623
Pilla, MA, 366
Pinchak, AC, 380
Pizov, R, 137
Plotkin, JS, 103
Pollard, RJ, 253
Pollock, M, 427
Poppers, PJ, 506
Price, RD, 588
Priscu, V, 153
Puig, MM, 36, 613
Pyper, DL, 646

Rabinerson, D, 153
Radke, AJ, 145
Ramakrishnan, U, 681
Ramanathan, S, 452
Rauwerda, JA, 599
Reading, A, 435

Reis, MP, 291
Reiter, B, 614
Reynolds, JE, 670
Richardson, PK, 66
Riley, TJ, 6
Robertson, JE, 297
Roizen, MF, 28, 89, 338
Roland, C, 46
Rosenthal, MH, 179
Rosow, CE, 314
Ross, AK, 631
Rubenovitch, J, 606
Rubin, JD, 670
Ruby, EI, 54
Ruiz, R, 469

Saito, H, 200
Saitz, EW, 95
Sakai, T, 660
Samso, E, 36
Santrach, PJ, 588
Sata, T, 228
Savir, I, 153
Schaff, HV, 588
Scheffer, GJ, 599
Scheu, KL, 502, 670
Schmucki, O, 360
Schork, MA, 404
Schubert, AG, 133, 656
Schuepfer, G, 360
Schwanky, HD, 13
Schweizer, A, 678
Seago, JA, 579
Seed, RF, 646
Sereika, SM, 95
Settergren, G, 126
Shalev, M, 623
Shannon, MT, 452
Shapiro, L, 278
Shigematsu, A, 228
Shindoh, M, 514
Shklar, B, 474
Shulman, MS, 518
Shupak, RC, 189
Sidi, A, 253
Siewert, M, 91, 482
Singh, H, 354
Smith, CE, 380
Smyth, E, 499
Spiliopoulos, A, 678
Spoelder, EM, 599
Sproul, KA, 561, 570
Starnes, VA, 603
Staudinger, T, 389
Stein, AL, 41
Steinberg, RB, 246
Steinbrook, RA, 494
Stock, MC, 181
Stockx, L, 160
Stool, LA, 394
Strollo, D, 557
Stueber, K, 246
Sugimura, M, 660
Sumikawa, K, 222, 539
Summerell, JD, 28
Sun, X, 302
Suri, A, 464
Suwa, K, 200
Suzuki, H, 184
Szmuk, P, 474

Tadaaki, K, 660
Tait, AR, 13, 91
Takahashi, S, 17, 321
Takamoto, S, 120
Takeda, A, 546
Takeuchi, M, 120
Takizuka, A, 228
Tang, Y-S, 331
Tanigami, H, 120
Tantisira, BR, 6
Tarazi, EM, 272
Tarver, SD, 546
Tassani, P, 114
Templin, PA, 386
Tessler, MJ, 377
Tetzlaff, JE, 133, 656, 666
Thompson, TT, 58
Thorp, JM, Jr, 58
Tinker, JH, 432
Tjan, GT, 646
Tobias, MD, 366
Toledano, AY, 28
Tong, SY, 410
Torri, G, 652
Toy, P, 86
Toyota, S, 32, 265
Tremper, KK, 13

Uezono, S, 200

Vallès, J, 36, 613
Van Decar, T, 141, 670
van der Hoven, B, 599
van der Spoel, JI, 599
Vandermeersch, E, 160
Vellayappan, U, 518
Viele, M, 86
Vilar, X, 36
Vitez, TS, 166
Voepel-Lewis, TD, 91, 482

Wahba, RM, 377
Waisel, DB, 141, 502
Walczak, S, 579
Wambold, D, 366
Wat, LI, 386
Watanabe, Y, 120
Waters, JH, 232
Watkins, WD, 561, 570
Weiskopf, R, 86
Weissman, C, 302
Weitz, S, 579
White, PF, 268, 386, 394
Wilkey, B, 145
Williams, BA, 561, 570
Williams, GR, 77
Wittenberg, MI, 13
Woelfel, SK, 95, 195

Xue, FS, 410

Yahagi, N, 120
Yamaguchi, T, 619
Yoon, HJ, 133, 656, 666
Yukioka, H, 514

Zapata, JC, 309
Zhang, RJ, 410
Zhang, YM, 410
Zimmerl, M, 389
Zohar, E, 623

Index of Subjects, Volume 10

Authors' names follow each subject entry. Departments from which the subjects were indexed are abbreviated as follows: CC = Case Conference, CR = Case Report, DD = Doctor's Docket, ED = Editorial, GR = Grand Rounds, LE = Letter to the Editor, OC = Original Contribution, RP = Rational Pharmacology, and SA = Special Article.

A

Abdominal insufflation
  in donor nephrectomy
    effects of split torso positioning, laparoscopic surgery, and; on respiratory mechanics (OC) [Fahy, Barnas, Flowers, Jacobs, Plotkin, Delaney], 103

Abdominal surgery
  Interleukin-10 production during and after (OC) [Kato, Honda, Suzuki, Murakami, Matsukawa, Hashimoto], 184
  optimal epidural fentanyl dose for (OC) [Arakawa, Hoka], 551

Acceleromyography
  and electromyography
    comparison of, in vecuronium-induced neuromuscular blockade with Xenon or sevoflurane (OC) [Nakata, Goto, Saito, Ichinose, Uezono, Suwa, Morita], 200

Acetylcholine
  and cardiopulmonary bypass
    altered reactivity to, in pulmonary circulation; part of reperfusion injury (OC) [Angdin, Settergren, Astudillo, Liska], 126

Acknowledgment of reviewers, *Journal of Clinical Anesthesia*, volume 10, 684

Admission, unplanned
  pediatric surgical patient
    prolonged recovery and; observational study (OC) [D'Errico, Voepel-Lewis, Siewert, Malviya], 482

Air volume
  in intravenous fluid bags
    possible cause of massive air embolism (LE) [Massey, Adhikary], 264

Airway
  difficult
    and gastroesophageal reflux disease (CR) [Cantillo, Cypel, Schaffer, Goldberg], 235
  face mask
    spontaneous ventilation with physiological dead space/tidal volume ratio during; comparison with laryngeal mask and cuffed oropharyngeal airways (OC) [Casati, Fanelli, Torri], 652

Laryngeal mask (LMA)
    ambulatory surgery, in (OC) [Wat, Brimacombe, White, Templin, Lynch, Hammamura], 386
    carotid endarterectomy, in cardiovascular stability during; endotracheal intubation vs. LMA (OC) [Marietta, Lunn, Ruby, Hill], 54
    complex I respiratory chain enzyme deficiency aid to anesthesia for child with (CR) [Cheam, Critchley], 524
    lighted stylet
      aid to blind tracheal intubation via LMA (LE) [Agro, Brimacombe, Carassiti, Morelli, Giampalmo, Cataldo], 263
    spontaneous ventilation with physiological dead space/tidal volume ratio during; comparison with face mask and cuffed oropharyngeal airways (OC) [Casati, Fanelli, Torri], 652
    work of breathing
      tracheal tube vs. LMA in anesthetized patients (OC) [Joshi, Morrison, White, Miciotto, Hsia], 268
  mucoid impaction
    nasal intubation in child with upper respiratory infection (CR) [Cohen, Anderson], 327
  work of breathing
    laryngeal mask airway vs. tracheal intubation in anesthetized patients (OC) [Joshi, Morrison, White, Miciotto, Hsia], 268

Albumin
  ketorolac; plasma protein binding of
    influence of plasma expansion on (OC) [Gravenstein, Suri, Derendorf, Koska], 464
  whole blood coagulation and
    differential effects of serial hemodilution with hydroxyethyl starch, 0.9% saline and, on (OC) [Tobias, Wambold, Pilla, Greer], 366

Alfentanil
  and retrobulbar block
    excitatory phenomena of methohexital decreased by (OC) [Khalil, Howard, Mankarious, Campos, Kellaway, Chuang, Ruiz], 469

Ambulatory surgery
  desflurane vs. sevoflurane
    recovery comparision of (OC) [Tarazi, Philip], 272
  laryngeal mask airway use during (OC) [Wat, Brimacombe, White, Templin, Lynch, Hammamura], 386
  office-based
    Society of Office-Based Anesthesia, report of educational meeting of (ED) [Laurito], 445
  orthopedic surgery
    clinical pathway techniques
      effects of, on process efficiency and recovery profiles in (OC) [Williams, DeRiso, Figallo, Anders, Engel, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 570
      reduction of nursing labor intensity in (OC) [Williams, DeRiso, Engel, Figallo, Anders, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 561
  patient anxiety during
    oral diazepam for intravenous access (OC) [Wittenberg, Lark, Butler, Handy, Schwanky, Tait, Tremper], 13
  pediatric surgical patient
    prolonged recovery and unplanned admission of; observational study (OC) [D'Errico, Voepel-Lewis, Siewert, Malviya], 482

Analgesia
  burn patient
    oral clonidine for sedation and (CR) [Kariya, Shindoh, Nishi, Yukioka, Asada], 514
  caudal
    anesthesia for child with complex I respiratory chain enzyme deficiency (CR) [Cheam, Critchley], 524
  epidural, in labor
    determination of dose-response relationship for epidural fentanyl sufentanil, and bupivacaine 0.125% (OC) [Herman, Scheu, Van Decar, Rubin, Gadalla, Koff, Reynolds], 670
    cause of dystocia? (OC) [Thompson, Thorp, Jr, Mayer, Kuller,

Journal of Clinical Anesthesia 10:690–704, 1998

© 1998 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/98/$19.00

Bowes, Jr], 58
recall of risks following labor analgesia (OC) [Affleck, Waisel, Cusick, Van Decar], 141
for herniorrhaphy
oral clonidine premedication does not prolong, during subarachnoid anesthesia (OC) [Ezri, Szmuk, Shklar, Katz, Geva], 474
intrathecal
in hypernephroma
subcutaneous vs. intrathecal administration of morphine for (CR) [Devulder], 163
in labor
intrathecal fentanil and sufentanil for (OC) [Gaiser, Cheek, Gutsche], 488
opioid use
protocol-contract for patients in chronic pain, without malignancy (SA) [Kirkpatrick, Derasari, Kovacs, Lamb, Miller, Reading], 435
patient-controlled
apneic oxygenation associated with (CR) [Smyth, Egan], 499
pediatric
simethicone for treatment of postoperative abdominal discomfort in infants (OC) [Voepel-Lewis, Malviya, Burke, D'Agostino, Hadden, Siewert, Tait], 91
perioperative
management of, in hospitalized patients; a national survey (SA) [Carr, Miaskowski, Dedrick, Williams], 77
Anesthesia
epidural
abdominal surgery, in optimal fentanyl dose for (OC) [Arakawa, Hoka], 551
asystole and sinus bradycardia during; report of 13 cases (OC) [Geffin, Shapiro], 278
cauda equina syndrome
incidental total spinal anesthesia with 2% lidocaine as possible cause of (CR) [Lee, Bui, Ferrarese, Richardson], 66
cervical epidural space
skin to, distances as measured by magnetic resonance imaging; consideration of the "hump pad" (OC) [Aldrete, Jr, Mushin, Zapata, Ghaly], 309
equipment checkout recommendations (CR) [Scheu, Waisel], 502
general
propofol
effects of preanesthetic oral clonidine on total requirement of (OC) [Imai, Mammoto, Murakami, Kita, Sakai, Kagawa, Tadaaki, Sugimura, Kishi], 660
general vs. spinal
in elderly population undergoing transurethral procedures (OC) [Fredman, Zohar, Philipov, Olsfanger, Shalev, Jedeikin], 623
in spinal surgery
heart rate variability and prone positioning (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 656
induction of
eltanolone titration in
comparison with thiopental and etomidate in coronary artery bypass grafting (OC) [Tassani, Martin, Janicke, Olsson, Ott], 114
in pediatrics
high concentration vs. incremental sevoflurane induction; comparison of induction times, vital signs, and complications via mask (OC) [Epstein, Stein, Marr, Lessin], 41
hyperthermia, nonmalignant, during bi-directional Glenn procedure (CR) [Leung, Jahr, Hotz, Pollock], 427
local
improvement of safety of local anesthetics with biological dyes (LE) [Laurito, Chen], 176
office-based
Society of Office-Based Anesthesia (SOBA) report of educational meeting (ED) [Laurito], 445
outpatient
desflurane vs. sevoflurane recovery comparision of (OC) [Tarazi, Philip], 272
oral diazepam for intravenous access in same-day surgery patients (OC) [Wittenberg, Lark, Butler, Handy, Schwanky, Tait, Tremper], 13
postoperative
patient satisfaction survey
efficiency of research in (OC) [Klock, Jr, Lichtor, Mingay, Toledano, Summerell, Pantle-Fisher, Roizen], 28
preoperative assessment
and adult immunization
use of, to complete (SA) [Brownstein, Roizen], 338
regional
clinical pathway techniques
effects of, on process efficiency and recovery profiles in ambulatory orthopedic surgery (OC) [Williams, DeRiso, Figallo, Anders, Engel, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 570
combined peribulbar and retrobulbar block in cataract surgery anxiolysis and pain associated with (OC) [Boezaart, Berry, Laubscher, Nell], 204
continuous 3-in-1 nerve block postoperative pain relief after bilateral femoral shaft surgery (CR) [Capdevila, Biboulet, Bouregba, Rubenovitch, Jaber], 606
equipment checkout recommendations (CR) [Scheu, Waisel], 502
remifentanl vs. propofol as adjuncts to, in orthopedic and urogenital surgery (OC) [Mingus, Monk, Gold, Jenkins, Roland, and Remifentanil 3010 Study Group], 46
retrobulbar block
excitatory phenomena of methohexital decreased by alfentanil (OC) [Khalil, Howard, Mankarious, Campos, Kellaway, Chuang, Ruiz], 469
ulnar nerve motor block
assessment of, via electromyography (OC) [Atanassoff, Kelly, Ayoub, Brull], 641
risks
recall of, after labor epidural analgesia (OC) [Affleck, Waisel, Cusick, Van Decar], 141
spinal
asystole and sinus bradycardia during; report of 13 cases (OC) [Geffin, Shapiro], 278
low bupivacaine
power spectral heart analysis shows decreased sympathetic nervous system activity during (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 133
cauda equina syndrome and
incidental total, with 2% lidocaine as possible cause of (CR) [Lee, Bui, Ferrarese, Richardson], 66
elective lumbar spine surgery (OC) [Tetzlaff, Dilger, Kodsy, Al-Bataineh, Yoon, Bell], 666
equipment checkout recommendations (CR) [Scheu, Waisel], 502
general vs.
in elderly population undergoing transurethral procedures (OC) [Fredman, Zohar, Philipov, Olsfanger, Shalev, Jedeikin], 623
in spinal surgery
heart rate variability and prone positioning (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 656
preeclampsia, severe
continuous, in cesarean section (CR) [Overdyk, Harvey], 510
procaine
incidence of transient neurologic symptoms with (OC) [Axelrod, Alexander, Brown, Schork], 404
subarachnoid

oral clonidine premedication in and herniorrhapy (OC) [Ezri, Szmuk, Shklar, Katz, Geva], 474

Anesthesia department
setting performance standards for (SA) [Vitez, Macario], 166

Anesthesia History Associate
Little, David M., award announcement (ED) [Cullen], 267

Anesthesiologists
cost consciousness of
impact of price labeling of muscle relaxants (OC) [Lin, Miller], 401
time management of
operating room management, in cardiac surgery cases (OC) [Melnik, Tessler, Wahba], 377

Anesthesiology, subspecialty society
Society of Office-Based Anesthesia (SOBA)
report of educational meeting (ED) [Laurito], 445

Anesthetic gas emissions
and environmental protection (LE) [Singh], 354

Anesthetic technique
balanced
desflurane vs. sevoflurane
recovery comparision of, in ambulatory surgery (OC) [Tarazi, Philip], 272
continuous 3-in-1 nerve block
postoperative pain relief after bilateral femoral shaft surgery (CR) [Capdevila, Biboulet, Bouregba, Rubenovitch, Jaber], 606
hypotensive
renal function during and after; comparison of sevoflurane and isoflurane (OC) [Hara, Fukusaki, Nakamura, Sumikawa], 539
intrathecal administration
in abdominal hysterectomy
combined fentanyl and neostigmine, for postoperative analgesia after (OC) [Lauretti, Mattos, Reis, Pereira], 291
in labor analgesia
fluid bolus not necessary before intrathecal fentanyl (OC) [Shannon, Ramanathan], 452
intrathecal fentanyl and sufentanil for (OC) [Gaiser, Cheek, Gutsche], 488
subcutaneous vs. intrathecal morphine in nephroma (CR) [Devulder], 163
monitored anesthesia
remifentanil vs. propofol, as adjuncts to regional, in orthopedic and urogenital surgery (OC) [Mingus, Monk, Gold, Jenkins, Roland, and Remifentanil 3010 Study Group], 46
retrobulbar block
excitatory phenomena of methohexital decreased by alfentanil (OC) [Khalil, Howard, Mankarious, Campos, Kellaway, Chuang, Ruiz], 469
spinal-epidural needle
evaluation of single-lumen, dual-orifice; effects of bevel orientation and modified technique (OC) [Pan], 286
stellate ganglion block
and tympanic membrane temperature (OC) [Matsukawa, Ozaki, Nishiyama, Yamaguchi, Imamura, Kumazawa], 619
ulnar nerve motor block
assessment of, via electromyography (OC) [Atanassoff, Kelly, Ayoub, Brull], 641

Aneurysm
coronary artery
complication of coronary artery fistula caused by; management by transesophageal echocardiography (LE) [Toyota, Niwa, Horiguchi, Amaki], 265

Angina
aortic intramural hematoma presenting as (CR) [Haddy, Moore-Jeffries, Starnes], 603

Angiography
and cerebral arterial diameter in man
no effect of carbon dioxide on (OC) [Djurberg, Seed, Evans, Brohi, Pyper, Tjan, Al Moutaery], 646

Aorta
aortic intramural hematoma
presentation as angina (CR) [Haddy, Moore-Jeffries, Starnes], 603
aortic occlusion
continuous hemofiltration for metabolic management of acute (CR) [van der Hoven, van der Spoel, Scheffer, Spoelder, Rauwerda], 599
thoracic, during regional chemotherapy (OC) [Berkenstadt, Ben-Ari, Perel], 636

Aortic stenosis
and end-stage liver disease
prioritizing surgical and anesthetic therapies (CC) [Pollard, Sidi, Gibby], 253

Apnea
apneic oxygenation
patient-controlled analgesia associated with (CR) [Smyth, Egan], 499
and carbon dioxide
common knowledge and common sense (ED) [Stock], 181 dynamics of, during apneic oxygenation effects of preceding hypocapnia (OC) [Gentz, Shupak, Bhatt, Bay], 189

Arterial puncture
and femoral vein cannulation
massive retroperitoneal hemorrhage associated with (CR) [Akata, Nakayama, Kandabashi, Kodama, Takahashi], 321

Arthroplasty
cemented hip
large pulmonary embolus with no systemic hemodynamic consequences during (CR) [Oxorn, Edelist], 238

Aspiration
in labor
oral intake policies during; national survey (OC) [Hawkins, Gibbs, Martin-Salvaj, Orleans, Beaty], 449
pulmonary
in pediatrics; incidence and outcome in general anesthesia (OC) [Borland, Sereika, Woelfel, Saitz, Carrillo, Lupin, Motoyama], 95

Asystole
in epidural and spinal anesthesia
sinus bradycardia and; report of 13 cases (OC) [Geffin, Shapiro], 278

Author index, *Journal of Clinical Anesthesia*, volume 10, 687

Autologous donation
unnecessary; and hemodilution for low blood-loss procedures (LE) [Toy, Viele, Weiskopf], 86

B

Balloon pump, intra-aortic
for circulatory insufficiency
value of mild hypothermia in severe; even after intra-aortic balloon pump (OC) [Yahagi, Kumon, Watanabe, Tanigami, Haruna, Hayashi, Imanaka, Takeuchi, Ohashi, Takamoto], 120

Biological dyes
safety improvement of local anesthetics with (LE) [Laurito, Chen], 176

Block
peribulbar and retrobulbar combination
anxiolysis and pain associated with, in cataract surgery (OC) [Boezaart, Berry, Laubscher, Nell], 204
stellate ganglion
and tympanic membrane temperature (OC) [Matsukawa, Ozaki, Nishiyama, Yamaguchi, Imamura, Kumazawa], 619

Blood
autologous donation
unnecessary; and hemodilution for low blood-loss procedures (LE) [Toy, Viele, Weiskopf], 86
cardiopulmonary bypass
transfusion requirements for
temperature and duration of, as influencing (OC) [Ereth, Nuttall, Oliver, Jr, Santrach, Price, Schaff], 588
coagulation
and serial hemodilution

differential effects of, with hydroxyethyl starch, albumin, and 0.9% saline, on (OC) [Tobias, Wambold, Pilla, Greer], 366

hemofiltration, continuous
for metabolic management of acute aortic occlusion (CR) [van der Hoven, van der Spoel, Scheffer, Spoelder, Rauwerda], 599

loss, acute
systolic pressure variation predicts response to (OC) [Ornstein, Eidelman, Drenger, Elami, Pizov], 137

Body temperature
and inhalational anesthesia
comparative effects of Ringer's acetate and Ringer's lactate solutions, on intraoperative central and peripheral temperatures with isoflurane or sevoflurane (OC) [Kashimoto, Narumi, Matsukawa, Oguchi, Kumazawa], 23

in orthopedic surgery
changes in, following deflation of limb pneumatic tourniquet (OC) [Akata, Kanna, Izumi, Kodma, Takahashi], 17

Bradycardia, sinus
in epidural and spinal anesthesia
asystole and; report of 13 cases (OC) [Geffin, Shapiro], 278

Brain
cerebral arterial diameter
no effect of carbon dioxide on (OC) [Djurberg, Seed, Evans, Brohi, Pyper, Tjan, Al Moutaery], 646

Breast reduction surgery
sympathetically mediated pain management of; unusual complication (CR) [Steinberg, Stueber], 246

Bullard laryngoscope
new multifunctional stylet
preliminary experience with (LE) [Cohn, Isaac, Ramakrishnan, Harbourne], 681

Bupivacaine
in labor
determination of analgesic dose-response relationship for epidural fentanyl, sufentanil, and bupivacaine 0.125% (OC) [Herman, Scheu, Van Decar, Rubin, Gadalla, Koff, Reynolds], 670

and sympathetic nervous system
power spectral heart analysis shows decreased activity of, during spinal anesthesia with (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 133

Burn patient
oral clonidine for sedation and analgesia (CR) [Kariya, Shindoh, Nishi, Yukioka, Asada], 514

C

Cannulation
femoral vein
massive retroperitoneal hemorrhage associated with (CR) [Akata, Nakayama, Kandabashi, Kodama, Takahashi], 321

Inter-Link vial access cannula
use of, with intravenous tubing as extension for precordial stethoscope (LE) [Reiter, Mayhew], 614

right internal jugular cannula placement
(CR) [Waters, Gimenez], 232

venous pressure and
cross-sectional area and, of the right internal jugular vein during anesthesia: effects of Trendelenburg position, positive intrathoracic pressure, and hepatic compression (OC) [Lobato, Florete, Jr, Paige, Morey], 1

Carbon dioxide
partial pressure of
and apnea common knowledge and common sense (ED) [Stock], 181
dynamics of, during apneic oxygenation effects of preceding hypocapnia (OC) [Gentz, Shupak, Bhatt, Bay], 189

Cardiac surgery
operating room management
time interval between cases of (OC) [Melnik, Tessler, Wahba], 377

Cardiopulmonary bypass
hypothermic
in myasthenia gravis (CR) [Ishimura, Sata, Matsumoto, Takizuka, Shigematsu], 228

pulmonary circulation and
altered reactivity to acetylcholine in; part of reperfusion injury (OC) [Angdin, Settergren, Astudillo, Liska], 126

transfusion requirements for
temperature and duration of, as influencing (OC) [Ereth, Nuttall, Oliver, Jr, Santrach, Price, Schaff], 588

Carotid endarterectomy
cardiovascular stability and
laryngeal mask airway vs. endotracheal intubation for (OC) [Marietta, Lunn, Ruby, Hill], 54

coronary bypass grafting combined
remifentail for; early extubation and neurologic examination after (CR) [Gerhardt, Grichnik], 249

near infra-red cerebral oximetry and
in awake carotid endarterectomy (OC) [Carlin, McGraw, Calimlim, Mascia], 109

Cataract surgery
combined peribulbar and retrobulbar block in
anxiolysis and pain associated with (OC) [Boezaart, Berry, Laubscher, Nell], 204

Catheter
epidural
interpleural misplacement of (CR) [Furuya, Matsukawa, Ozaki, Kumazawa], 425

pulmonary artery
nonsurgical extraction of intracardiac double-knotted (CR) [Ismail, Deckmyn, Vandermeersch, Stockx], 160

Cauda equina syndrome
and incidental total spinal anesthesia with 2% lidocaine; possible cause of (CR) [Lee, Bui, Ferrarese, Richardson], 66

Cerebral arterial diameter
no effect of carbon dioxide on (OC) [Djurberg, Seed, Evans, Brohi, Pyper, Tjan, Al Moutaery], 646

Cervical epidural space
skin to, distances as measured by magnetic resonance imaging (OC) [Aldrete, Jr, Mushin, Zapata, Ghaly], 309

Cesarean section
Moyamoya disease and
propofol management for (CR) [Furuya, Matsukawa, Ozaki, Kumazawa], 242

preeclampsia, severe
continuous spinal anesthesia for (CR) [Overdyk, Harvey], 510

Segawa's syndrome and
anesthesia for (CR) [Priscu, Lurie, Savir, Rabinerson, Hagay], 153

Chemotherapy, regional
new procedure for
hemodynamic changes during, involving occlusion of thoracic aorta and inferior vena cava (OC) [Berkenstadt, Ben-Ari, Perel], 636

Chest injury, penetrating
hernia, traumatic diaphragmatic
intraoperative management of chronic, previously undiagnosed (CR) [Katz, Belenker, Poppers], 506

Chest wall mechanics
in donor nephrectomy
effects of split torso positioning and laparoscopic surgery on respiratory mechanics (OC) [Fahy, Barnas, Flowers, Jacobs, Plotkin, Delaney], 103

Cholecystectomy, laparoscopy
emesis control
comparison of perphenazine, droperidol-ondansetron, and droperidol-metoclopramide (OC) [Steinbrook, Gosnell, Freiberger], 494

stress hormone responses during
comparison of three different anesthetic techniques (OC) [Aono, Takeda, Tarver, Goto], 546

Cholesterol
in critically ill postsurgical patients
fluid resuscitation and nutritional support (OC) [Sun, Oberlander, Huang, Weissman], 302
Circulation, pulmonary
and cardiopulmonary bypass
altered reactivity to acetylcholine in; part of reperfusion injury (OC) [Angdin, Settergren, Astudillo, Liska], 126
Circulatory insufficiency, severe
mild hypothermia for (OC) [Yahagi, Kumon, Watanabe, Tanigami, Haruna, Hayashi, Imanaka, Takeuchi, Ohashi, Takamoto], 120
Cisatracurium
in pediatrics
effects of, during halothane-nitrous oxide anesthesia (OC) [Brandom, Woelfel, Ference, Dayal, Cook, Kerls], 195
Clinical pathway techniques, anesthesia
in ambulatory orthopedic surgery
effects of, on process efficiency and recovery profiles in (OC) [Williams, DeRiso, Figallo, Anders, Engel, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 570
reduction of nursing labor intensity in (OC) [Williams, DeRiso, Engel, Figallo, Anders, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 561
Clonidine
burn patient
oral, for sedation and analgesia (CR) [Kariya, Shindoh, Nishi, Yukioka, Asada], 514
cost efficiency
pharmacy savings generated by preoperative administration of (OC) [Valles, Samso, Vilar, Gallart, Puig], 36
Re: pharmacy savings generated by preoperative administration of (LE) [Kanter, Connelly], 613 (Reply [Puig, Valles]), 613
herniorrhaphy
oral premedication with, does not prolong analgesia during subarachnoid anesthesia (OC) [Ezri, Szmuk, Shklar, Katz, Geva], 474
Coagulation, whole blood
and serial hemodilution
differential effects of, with hydroxyethyl starch, albumin, and 0.9% saline, on (OC) [Tobias, Wambold, Pilla, Greer], 366
Computer simulation
analysis of nursing productivity changes from extubation of coronary artery bypass patients (OC) [Dexter, Macario, Dexter], 593
Convective warming therapies
in hypothermia prevention
comparison of convective and intravenous fluid warming vs. convective warming alone (OC) [Smith, Desai, Glorioso, Cooper, Pinchak, Hagen], 380
Coronary artery aneurysm
and transesophageal echocardiography
complication of coronary artery fistula caused by; management by (LE) [Toyota, Niwa, Horiguchi, Amaki], 265
Coronary artery bypass grafting
and anesthesia induction
comparision of eltanolone titration, etomidate, and thiopental for (OC) [Tassani, Martin, Janicke, Olsson, Ott], 114
carotid endarterectomy and
remifentail for; early extubation and neurologic examination after (CR) [Gerhardt, Grichnik], 249
Cost control
anesthesiologists
impact of price labeling of muscle relaxants on cost consciousness of (OC) [Lin, Miller], 401
cost consciousness of impact of price labeling of muscle relaxants (OC) [Lin, Miller], 401
group practice setting
effect of low-cost protocol on outcome and cost in (OC) [Kirsch, Carrithers, Hagan, Borra], 416
nursing productivity
computer simulation of, from extubation of coronary artery bypass patients (OC) [Dexter, Macario, Dexter], 593
operating room management
time interval between cardiac surgery cases (OC) [Melnik, Tessler, Wahba], 377
pharmacy savings
clonidine premedication reduces isoflurane expense (OC) [Valles, Samso, Vilar, Gallart, Puig], 36
Re: pharmacy savings generated by preoperative administration of (LE) [Kanter, Connelly], 613 (Reply [Puig, Valles]), 613
surgeon's common procedures
profitability of; impact on overall hospital profitability (OC) [Dexter, Macario, Cerone], 457
Cytokines
compounds of the nineties
where is it leading? (ED) [Rosenthal], 179
Interleukin-6 and Interleukin-10 production
and upper abdominal surgery (OC) [Kato, Honda, Suzuki, Murakami, Matsukawa, Hashimoto], 184

D
Desflurane
in ambulatory anesthesia
sevoflurane vs., recovery comparision of (OC) [Tarazi, Philip], 272
Detoxification, opioid
spontaneous ventilation increased by (OC) [Hoffman, Berkowitz, McDonald, Hass], 372
Diabetes
malpractice case
diabetic silent hearts and anesthesia: the duty to assess (DD) [Liang, Mangano], 610
Diastolic dysfunction
in previous heart transplantation patient
postoperative pulmonary edema and (CC) [Lobato, Tang, Cole, Lewis], 331
Diazepam
oral administration
effect on intravenous access in same-day surgery patients (OC) [Wittenberg, Lark, Butler, Handy, Schwanky, Tait, Tremper], 13
vs. oral clonidine
effect of, on total propofol requirement (OC) [Imai, Mammoto, Murakami, Kita, Sakai, Kagawa, Tadaaki, Sugimura, Kishi], 660
Dolasetron mesylate
emesis control with
oral administration for postoperative control of; multicenter, double-blind, placebo-controlled study (OC) [Diemunsch, Korttila, Leeser, Helmers, Wilkey, Navé, Radke, Hahne, Brown], 145
Droperidol
emesis control with
total abdominal hysterectomy
droperidol-ondansetron combination vs. droperidol alone for postoperative control after (OC) [Riley, McKenzie, Tantisira, Hamilton], 6
Drug costs
anesthesiologists
impact of price labeling of muscle relaxants on cost consciousness of (OC) [Lin, Miller], 401
pharmacy savings
clonidine premedication reduces isoflurane expense (OC) [Valles, Samso, Vilar, Gallart, Puig], 36
Re: pharmacy savings generated by preoperative administration of (LE) [Kanter, Connelly], 613 (Reply [Puig, Valles]), 613
protocol, low-cost

effect of, on outcome and cost in group practice setting (OC) [Kirsch, Carrithers, Hagan, Borra], 416

Drug interactions
and food supplement use (ED) [Roizen], 89

Drug safety
improvement of local anesthetics with biological dyes (LE) [Laurito, Chen], 176

Dyes, biological
safety improvement of local anesthetics with (LE) [Laurito, Chen], 176

Dystocia
labor analgesia cause of? (OC) [Thompson, Thorp, Jr, Mayer, Kuller, Bowes, Jr], 58

Dystonia
hereditary progressive
Segawa's syndrome; choice of anesthesia for cesarean section (CR) [Priscu, Lurie, Savir, Rabinerson, Hagay], 153

E

Echocardiography, transesophageal (TEE)
and prone position
hemodynamic evaluation of, via TEE (OC) [Toyota, Amaki], 32
and coronary artery aneurysm
complication of coronary artery fistula caused by; management by (LE) [Toyota, Niwa, Horiguchi, Amaki], 265

Edema, pulmonary, postoperative
in previous heart transplantation
and diastolic dysfunction, secondary to (CC) [Lobato, Tang, Cole, Lewis], 331

Elderly patient population
general vs. spinal anesthesia for
induction, maintenance, and recovery characteristics of (OC) [Fredman, Zohar, Philipov, Olsfanger, Shalev, Jedeikin], 623

Electrocardiography
Holter
and retinal surgery
ST segment changes after (OC) [Gozal, Drenger, Robertson, Davis], 297

Electroconvulsive therapy
nicardipine and labetalol
effect of, on acute hemodynamic response to (OC) [Avramov, Stool, White, Husain], 394

Electromyography
and acceleromyography
comparison of, in vecuronium-induced neuromuscular blockade with Xenon or sevoflurane (OC) [Nakata, Goto, Saito, Ichinose, Uezono, Suwa, Morita], 200
and ulnar nerve motor block
assessment of (OC) [Atanassoff, Kelly, Ayoub, Brull], 641

Electrovaporization
in transurathral prostate resection
simultaneous bilateral obturator nerve stimulation with (CR) [Shulman, Vellayappan, Monaghan, Coukos, Krenis], 518

Eltanolone
in coronary artery bypass grafting
titration of; compared with thiopental and etomidate for anesthesia induction (OC) [Tassani, Martin, Janicke, Olsson, Ott], 114

Embolism
massive air
and pressurized infusion system (CR) [Adhikary, Massey], 70
intravenous fluid bags
air volume within, possible cause of (LE) [Massey, Adhikary], 264
pulmonary
cemented hip arthroplasty; no systemic hemodynamic consequences during (CR) [Oxorn, Edelist], 238

Emesis control
dolasetron mesylate
oral administration for; multicenter, double-blind, placebo-controlled study (OC) [Diemunsch, Korttila, Leeser, Helmers, Wilkey, Navé, Radke, Hahne, Brown], 145
droperidol
in laparoscopic cholecystectomy
comparison of perphenazine, droperidol-ondansetron, and droperidol-metoclopramide for (OC) [Steinbrook, Gosnell, Freiberger], 494
metoclopramide
in laparoscopic cholecystectomy comparison of perphenazine, droperidol-ondansetron, and droperidol-metoclopramide for (OC) [Steinbrook, Gosnell, Freiberger], 494
ondansetron
in hysterectomy, total abdominal droperidol-ondansetron combination vs. droperidol alone (OC) [Riley, McKenzie, Tantisira, Hamilton], 6
in laparoscopic cholecystectomy
comparison of perphenazine, droperidol-ondansetron, and droperidol-metoclopramide for (OC) [Steinbrook, Gosnell, Freiberger], 494
meta-analysis of
postoperative emesis control with (OC) [Figuredo, Canosa], 211
randomized, double-blind, dose-response study, in prevention of postoperative (OC) [Dershwitz, Conant, Chang, Rosow, Connors], 314
perphenazine
in laparoscopic cholecystectomy
comparison of perphenazine, droperidol-ondansetron, and droperidol-metoclopramide for (OC) [Steinbrook, Gosnell, Freiberger], 494

Endobronchial tubes, double-lumen
comparison of techniques for placement of (OC) [Boucek, Landreneau, Freeman, Strollo, Bircher], 557
pneumonia, massive contralateral during lung resection (CR) [Schweizer, de Perrot, Hohn, Spiliopoulos, Licker], 678

Equipment and supplies
balloon pump, intra-aortic
mild hypothermia for severe circulatory insufficiency; even after intra-aortic balloon pump (OC) [Yahagi, Kumon, Watanabe, Tanigami, Haruna, Hayashi, Imanaka, Takeuchi, Ohashi, Takamoto], 120
cannula
Inter-Link vial access (LE) [Reiter, Mayhew], 614
right internal jugular
placement of (CR) [Waters, Gimenez], 232
catheter, epidural
interpleural misplacement of (CR) [Furuya, Matsukawa, Ozaki, Kumazawa], 425
catheter, pulmonary artery
nonsurgical extraction of intracardiac double-knotted (CR) [Ismail, Deckmyn, Vandermeersch, Stockx], 160
convective warmers
comparison of convective and intravenous fluid warming vs. convective warming alone in prevention of (OC) [Smith, Desai, Glorioso, Cooper, Pinchak, Hagen], 380
endobronchial tubes, double-lumen
comparison of techniques for placement of (OC) [Boucek, Landreneau, Freeman, Strollo, Bircher], 557
pneumonia, massive contralateral during lung resection (CR) [Schweizer, de Perrot, Hohn, Spiliopoulos, Licker], 678
fluid bags, intravenous
air volume within, possible cause of massive air embolism (LE) [Massey, Adhikary], 264
Holter electrocardiography
in retinal surgery
ST segment changes after (OC) [Gozal, Drenger, Robertson, Davis], 297
infusion system, pressurized

and massive air embolism (CR) [Adhikary, Massey], 70

Inter-Link vial access cannula
use of, with intravenous tubing as extension for precordial stethoscope (LE) [Reiter, Mayhew], 614

laryngeal mask airway
in ambulatory surgery (OC) [Wat, Brimacombe, White, Templin, Lynch, Hammamura], 386
in carotid endarterectomy (OC) [Marietta, Lunn, Ruby, Hill], 54
work of breathing
tracheal tube vs. LMA in anesthetized patients (OC) [Joshi, Morrison, White, Miciotto, Hsia], 268

Laryngoscope, Bullard
new multifunctional stylet
preliminary experience with (LE) [Cohn, Isaac, Ramakrishnan, Harbourne], 681

Laser-Shield II endotracheal tube
occlusion of pilot tube of, by methylene blue crystals (CR) [Hashimoto, Armstead], 522

lighted stylet
aid to blind tracheal intubation via LMA (LE) [Agro, Brimacombe, Carassiti, Morelli, Giampalmo, Cataldo], 263
Trachlight to assess correct endotracheal tube placement (OC) [Locker, Staudinger, Knapp, Burgmann, Laczika, Zimmerl, Hormann, Frass], 389

limb pneumatic tourniquet
changes in body temperature following deflation of, in orthopedic surgery (OC) [Akata, Kanna, Izumi, Kodama, Takahashi], 17

oximeter
cerebral, near infra-red
in awake carotid endarterectomy (OC) [Carlin, McGraw, Calimlim, Mascia], 109

regional anesthesia equipment
checkout recommendations (CR) [Scheu, Waisel], 502

spinal-epidural needles
evaluation of single-lumen, dual-orifice; effects of bevel orientation and modified technique (OC) [Pan], 286

Trachlight
lighted stylet to assess correct endotracheal tube placement (OC) [Locker, Staudinger, Knapp, Burgmann, Laczika, Zimmerl, Hormann, Frass], 389

vaporTrode
electrovaporization with, in transurathral prostate resection simultaneous bilateral obturator nerve stimulation (CR) [Shulman, Vellayappan, Monaghan, Coukos, Krenis], 518

Ethanol
monitoring of fluid absorption
in transurethral resection of the prostate (ED) [Hahn], 357
new method for, in transurethral resection syndrome (OC) [Konrad, Gerber, Schuepfer, Schmucki], 360

Etomidate
in coronary artery bypass grafting
eltanolone titration vs. thiopental and, for anesthesia induction (OC) [Tassani, Martin, Janicke, Olsson, Ott], 114

Eye surgery
cataract
combined peribulbar and retrobulbar block in anxiolysis and pain associated with (OC) [Boezaart, Berry, Laubscher, Nell], 204
retinal
ST segment changes after (OC) [Gozal, Drenger, Robertson, Davis], 297
retrobulbar block
excitatory phenomena of methohexital decreased by alfentanil (OC) [Khalil, Howard, Mankarious, Campos, Kellaway, Chuang, Ruiz], 469

F

Facemasks, anesthesia
pediatric safety and scented (LE) [Coté; Berman, Mayhew]), 262 (Reply [Hinkle]), 262
spontaneous ventilation with
comparison of LMA, cuffed oropharyngeal airway, and; physiological dead space/tidal volume ratio (OC) [Casati, Fenelli, Torri], 652

Feminization, testicular
increased tolerance to vecuronium in (CR) [Lee, Appel], 156

Femoral shaft surgery, bilateral
continuous 3-in-1 nerve blockade for postoperative pain relief after (CR) [Capdevila, Biboulet, Bouregba, Rubenovitch, Jaber], 606

Femoral vein cannulation
massive retroperitoneal hemorrhage associated with (CR) [Akata, Nakayama, Kandabashi, Kodama, Takahashi], 321

Fentanyl
abdominal surgery
optimal epidural dose for (OC) [Arakawa, Hoka], 551
gynecologic surgery
combined intrathecal neostigmine and, for postoperative pain relief after abdominal hysterectomy (OC) [Lauretti, Mattos, Reis, Pereira], 291
in labor analgesia
determination of analgesic dose-relationship for epidural sufentanil, bupivacaine 0.125%, and (OC) [Herman, Scheu, Van Decar, Rubin, Gadalla, Koff, Reynolds], 670
fluid bolus not necessary before intrathecal administration of (OC) [Shannon, Ramanathan], 452
intrathecal sufentanil and comparison of three doses of, for (OC) [Gaiser, Cheek, Gutsche], 488

Fistula, coronary artery
and transesophageal echocardiography
complication of, caused by coronary artery aneurysm; management by (LE) [Toyota, Niwa, Horiguchi, Amaki], 265

Fluid absorption
in transurethral resection of the prostate
ethanol monitoring of (ED) [Hahn], 357
new method for monitoring of, during (OC) [Konrad, Gerber, Schuepfer, Schmucki], 360

Fluid bolus, intravenous
in labor analgesia
not necessary before intrathecal fentanyl for (OC) [Shannon, Ramanathan], 452

Fluid resuscitation
in critically ill postsurgical patients (OC) [Sun, Oberlander, Huang, Weissman], 302

Fluid warmers, intravenous
in hypothermia prevention
comparison of convective and, vs. convective warming alone (OC) [Smith, Desai, Glorioso, Cooper, Pinchak, Hagen], 380

Food
oral intake policies during labor and delivery
national survey (OC) [Hawkins, Gibbs, Martin-Salvaj, Orleans, Beaty], 449
supplement use
patient history of (ED) [Roizen], 89

G

Gas emissions, anesthetic
and environmental protection (LE) [Singh], 354

Gastric intramural pH
monitoring of
effect of controlled hypotension and hemodilution on (OC) [Fukusaki, Hara, Maekawa, Nakamura, Cho, Sumikawa], 222

Gastroesophageal reflux disease
difficult intubation and (CR) [Cantillo, Cypel, Schaffer, Goldberg], 235

Glenn procedure
in pediatrics, nonmalignant hyperthermia during (CR) [Leung, Jahr, Hotz, Pollock], 427

Global warming
and anesthetic gas emissions (LE) [Singh], 354
Gonadectomy
and vecuronium
increased tolerance to, in patient with testicular feminization (CR) [Lee, Appel], 156
Group practice
cost issues for
effect of low-cost protocol on outcome and (OC) [Kirsch, Carrithers, Hagan, Borra], 416
Gynecologic surgery
postoperative emesis control in
dolasetron mesylate for
oral administration; multicenter, double-blind, placebo-controlled study of (OC) [Diemunsch, Korttila, Leeser, Helmers, Wilkey, Navé, Radke, Hahne, Brown], 145
in total abdominal hysterectomy
droperidol-ondansetron combination vs. droperidol alone (OC) [Riley, McKenzie, Tantisira, Hamilton], 6
postoperative pain relief
combined intrathecal fentanyl and neostigmine for abdominal hysterectomy (OC) [Lauretti, Mattos, Reis, Pereira], 291

H

Health care delivery systems
and managed care
changing practice of medicine (SA) [Modell], 347
operating room management
time interval between cardiac surgery cases (OC) [Melnik, Tessler, Wahba], 377
Heart rate analysis
power spectral
and decreased sympathetic nervous system activity during spinal anesthesia with bupivacaine (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 133
variability of
in spinal surgery
general vs. spinal anesthesia, and prone positioning (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 656
Heart transplantation
postoperative pulmonary edema and diastolic dysfunction, in patient with previous (CC) [Lobato, Tang, Cole, Lewis], 331
Hematoma
aortic intramural
presentation as angina (CR) [Haddy, Moore-Jeffries, Starnes], 603
Hemodilution
autologous donation
unnecessary; in low blood-loss procedures (LE) [Toy, Viele, Weiskopf], 86
controlled hypotension
effects of, on gastric intramural pH (OC) [Fukusaki, Hara, Maekawa, Nakamura, Cho, Sumikawa], 222
serial
differential effects of, with hydroxyethyl starch, albumin, and 0.9% saline, on whole blood coagulation (OC) [Tobias, Wambold, Pilla, Greer], 366
Hemofiltration, continuous
in acute aortic occlusion, metabolic management of (CR) [van der Hoven, van der Spoel, Scheffer, Spoelder, Rauwerda], 599
Hemorrhage
massive retroperitoneal
and femoral vein cannulation (CR) [Akata, Nakayama, Kandabashi, Kodama, Takahashi], 321
systolic pressure variation predicts response to (OC) [Ornstein, Eidelman, Drenger, Elami, Pizov], 137
Hernia, diaphragmatic
traumatic
intraoperative management of chronic, previously undiagnosed (CR) [Katz, Belenker, Poppers], 506
Herniorrhaphy
analgesia for
oral clonidine premedication does not prolong, during subarachnoid anesthesia (OC) [Ezri, Szmuk, Shklar, Katz, Geva], 474
Hormone, stress, responss
in laparascopic cholecystectomy
comparison of three different anesthetic techniques (OC) [Aono, Takeda, Tarver, Goto], 546
Hospital profitability
profitability of surgeon's common procedures, and
impact of (OC) [Dexter, Macario, Cerone], 457
"Hump pad"
and cervical epidural space
skin to, distances as measured by magnetic resonance imaging; consideration of (OC) [Aldrete, Jr, Mushin, Zapata, Ghaly], 309
Hydroxyethyl starch
ketorolac; plasma protein binding of
influence of plasma expansion on (OC) [Gravenstein, Suri, Derendorf, Koska], 464
whole blood coagulation and
differential effects of serial hemodilution with albumin, 0.9% saline and, on (OC) [Tobias, Wambold, Pilla, Greer], 366
Hyperthermia
nonmalignant
in pediatrics
during bi-directional Glenn procedure (CR) [Leung, Jahr, Hotz, Pollock], 427
Hypernephroma
pain control in
subcutaneous vs. intrathecal administration of morphine in (CR) [Devulder], 163
Hypocapnia
carbon dioxide dynamics during apneic oxygenation
effects of preceding hypocapnia (OC) [Gentz, Shupak, Bhatt, Bay], 189
Hypotension
controlled
effects of, combined with hemodilution on gastric intramural pH (OC) [Fukusaki, Hara, Maekawa, Nakamura, Cho, Sumikawa], 222
sevoflurane-induced
comparison of, with isoflurane (OC) [Hara, Fukusaki, Nakamura, Sumikawa], 539
renal function after (ED) [Artru], 531
Hypothermia
for circulatory insufficiency
value of mild hypothermia in severe; even after intra-aortic balloon pump (OC) [Yahagi, Kumon, Watanabe, Tanigami, Haruna, Hayashi, Imanaka, Takeuchi, Ohashi, Takamoto], 120
in orthopedic surgery
changes in body temperature following deflation of limb pneumatic tourniquet (OC) [Akata, Kanna, Izumi, Kodma, Takahashi], 17
warming therapies
comparison of convective and intravenous fluid warming vs. convective warming alone in prevention of (OC) [Smith, Desai, Glorioso, Cooper, Pinchak, Hagen], 380
Hypovolemia
acute blood loss
systolic pressure variation predicts response to (OC) [Ornstein, Eidelman, Drenger, Elami, Pizov], 137
Hysterectomy, abdominal
postoperative emesis control
droperidol-ondansetron combination vs. droperidol alone (OC) [Riley, McKenzie, Tantisira, Hamilton], 6
postoperative pain relief
combined intrathecal fentanyl and neostigmine for (OC) [Lauretti, Mattos, Reis, Pereira], 291

I

Immune response
and cytokines (ED) [Rosenthal], 179
Interleukin-10 production

and upper abdominal surgery (OC) [Kato, Honda, Suzuki, Murakami, Matsukawa, Hashimoto], 184

Immunization
adult
use of preoperative visit to complete (SA) [Brownstein, Roizen], 338

Inferior vena cava
occlusion of
during regional chemotherapy (OC) [Berkenstadt, Ben-Ari, Perel], 636

Informed consent
labor
recall of risks after epidural analgesia for (OC) [Affleck, Waisel, Cusick, Van Decar], 141
pediatric
malpractice issues in (DD) [Liang, Coté], 73

Infusion system, pressurized
and massive air embolism (CR) [Adhikary, Massey], 70

Interleukin-6, interleukin-10
and upper abdominal surgery
production of, during and after (OC) [Kato, Honda, Suzuki, Murakami, Matsukawa, Hashimoto], 184

Inter-Link vial access cannula
use of, with intravenous tubing as an extension for precordial stethoscope (LE) [Reiter, Mayhew], 614

Intubation
dental trauma during
res ipsa loquitur in a case of intubation (DD) [Liang, Tinker], 432
difficult
gastroesophageal reflux disease and (CR) [Cantillo, Cypel, Schaffer, Goldberg], 235
endobronchial tubes, double-lumen
comparison of techniques for placement of (OC) [Boucek, Landreneau, Freeman, Strollo, Bircher], 557
endotracheal
in carotid endarterectomy
laryngeal mask airway vs., for cardiovascular stability (OC) [Marietta, Lunn, Ruby, Hill], 54
lighted stylet
aid to blind, via LMA (LE) [Agro, Brimacombe, Carassiti, Morelli, Giampalmo, Cataldo], 263
Laser-Shield II endotracheal tube
occlusion of pilot tube of, by methylene blue crystals (CR) [Hashimoto, Armstead], 522
nasal
mucoid impaction after nasal intubation in child with upper respiratory infection (CR) [Cohen, Anderson], 327
tube placement
Trachlight to assess correct (OC) [Locker, Staudinger, Knapp, Burgmann, Laczika, Zimmerl, Hormann, Frass], 389
work of breathing
laryngeal mask airway vs. tracheal tube in anesthetized patients (OC) [Joshi, Morrison, White, Miciotto, Hsia], 268

Ischemia reperfusion injury
acute aortic occlusion
continuous hemofiltration for metabolic management of (CR) [van der Hoven, van der Spoel, Scheffer, Spoelder, Rauwerda], 599

Isoflurane
and body temperature
comparative effects of Ringer's acetate and Ringer's lactate solutions on intraoperative central and peripheral temperatures with sevoflurane or (OC) [Kashimoto, Narumi, Matsukawa, Oguchi, Kumazawa], 23
effect of clonidine premedication on
cost reduction of isoflurane with (OC) [Valles, Samso, Vilar, Gallart, Puig], 36
renal function
comparison with sevoflurane during and after hypotensive anesthesia (OC) [Hara, Fukusaki, Nakamura, Sumikawa], 539

J
Journal of Clinical Anesthesia
acknowledgment of reviewers, volume 10, 684
author index, volume 10, 687
subject index, volume 10, 690

K
Ketamine
in burn patient
oral clonidine and, for sedation and analgesia (CR) [Kariya, Shindoh, Nishi, Yukioka, Asada], 514

Ketorolac
plasma protein binding of
influence of plasma expansion on (OC) [Gravenstein, Suri, Derendorf, Koska], 464

Kidney
effects of sevoflurane on (ED) [Artru], 531

L
Labetalol
and electroconvulsive therapy
effect of nicardipine and, on acute hemodynamic response to (OC) [Avramov, Stool, White, Husain], 394

Labor
epidural fentanyl, sufentanil, and bupivacaine 0.125%
analgesic dose-response relationship for, during (OC) [Herman, Scheu, Van Decar, Rubin, Gadalla, Koff, Reynolds], 670
intrathecal fentanyl and sufentanil
comparison of three doses of, for (OC) [Gaiser, Cheek, Gutsche], 488
oral intake policies during delivery and
national survey (OC) [Hawkins, Gibbs, Martin-Salvaj, Orleans, Beaty], 449
recall of risks following analgesia for (OC) [Affleck, Waisel, Cusick, Van Decar], 141
spontaneous
labor analgesia cause of dystocia? (OC) [Thompson, Thorp, Jr, Mayer, Kuller, Bowes, Jr], 58

Labor productivity
anesthesia clinical pathways
improvement of processes, outcomes, and reduction in nursing intensity during ambulatory orthopedic surgery (OC) [Williams, DeRiso, Engel, Figallo, Anders, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 561
nursing productivity changes
computer-generated simulation of, from extubation of coronary artery bypass patients (OC) [Dexter, Macario, Dexter], 593

Laparoscopy
cholecystectomy
comparison of droperidol-ondansetron, droperidol-metoclopramide, and perphenazine, for emesis control (OC) [Steinbrook, Gosnell, Freiberger], 494
stress responses in three different anesthetic techniques for (OC) [Aono, Takeda, Tarver, Goto], 546
in donor nephrectomy
effects of split torso positioning, abdominal insufflation, and; on respiratory mechanics (OC) [Fahy, Barnas, Flowers, Jacobs, Plotkin, Delaney], 103

Laryngeal mask airway (LMA)
ambulatory surgery
use of, in (OC) [Wat, Brimacombe, White, Templin, Lynch, Hammamura], 386
carotid endarterectomy
cardiovascular stability during; endotracheal intubation vs. LMA (OC) [Marietta, Lunn, Ruby, Hill], 54
complex I respiratory chain enzyme deficiency
aid to anesthesia for child with (CR) [Cheam, Critchley], 524
lighted stylet
aid to blind tracheal intubation via LMA (LE) [Agro, Brimacombe, Carassiti, Morelli, Giampalmo,

Cataldo], 263
spontaneous ventilation with
physiological dead space/tidal volume ratio during face mask, cuffed oropharyngeal airways, and (OC) [Casati, Fanelli, Torri], 652
work of breathing
tracheal tube vs. LMA in anesthetized patients (OC) [Joshi, Morrison, White, Miciotto, Hsia], 268
Laryngoscope, Bullard
new multifunctional stylet
preliminary experience with (LE) [Cohn, Isaac, Ramakrishnan, Harbourne], 681
Laser surgery
Laser-Shield II endotracheal tube
occlusion of pilot tube of, by methylene blue crystals (CR) [Hashimoto, Armstead], 522
Laser-Shield II endotracheal tube
occlusion of pilot tube by methylene blue crystals (CR) [Hashimoto, Armstead], 522
Length of stay
factors influencing postanesthesia care unit stay
prospective analysis (OC) [Seago, Weitz, Walczak], 579
pediatric surgical outpatient
prolonged, and unplanned admission of; observational study (OC) [D'Errico, Voepel-Lewis, Siewert, Malviya], 482
Leriche's syndrome (acute aortic occlusion)
continuous hemofiltration for metabolic management of (CR) [van der Hoven, van der Spoel, Scheffer, Spoelder, Rauwerda], 599
Lidocaine
and cauda equina syndrome
incidental total spinal anesthesia with 2% lidocaine as possible cause of (CR) [Lee, Bui, Ferrarese, Richardson], 66
in ulnar nerve motor block
assessment of, via electromyography (OC) [Atanassoff, Kelly, Ayoub, Brull], 641
Ligamentum flavum
and cervical epidural space
skin to, distances as measured by magnetic resonance imaging; consideration of the "hump pad" (OC) [Aldrete, Jr, Mushin, Zapata, Ghaly], 309
Little, David M., award
announcement, Anesthesia History Association 1997 recipient (ED) [Cullen], 267
Liver disease, end-stage
and aortic stenosis; prioritizing surgical and anesthetic therapies (CC) [Pollard, Sidi, Gibby], 253
Lung
pneumonia, massive contralateral
during resection of (CR) [Schweizer, de Perrot, Hohn, Spiliopoulos, Licker], 678
pulmonary artery catheter
nonsurgical extraction of intracardiac double-knotted (CR) [Ismail, Deckmyn, Vandermeersch, Stockx], 160
pulmonary aspiration
in pediatrics
incidence and outcome in general anesthesia (OC) [Borland, Sereika, Woelfel, Saitz, Carrillo, Lupin, Motoyama], 95
pulmonary edema, postoperative
in previous heart transplantation and diastolic dysfunction, secondary to (CC) [Lobato, Tang, Cole, Lewis], 331

M
Malignant hyperthermia
in pediatrics
complex I respiratory chain enzyme deficiency; anesthesia for (CR) [Cheam, Critchley], 524
Malpractice
in diabetes
diabetic silent hearts and anesthesia: the duty to assess (DD) [Liang, Mangano], 610
intubation
in initio invadere: issues in IVs, informed consent, and (DD) [Liang, Coté], 73
teeth and trauma: res ipsa loquitur in a case of intubation (DD) [Liang, Tinker], 432
pediatrics
myocarditis in child (LE) [Howard], 353 (Reply [Liang]), 353
Mammoplasty, reduction
pain management after; unusual complication (CR) [Steinberg, Stueber], 246
Managed care
health care delivery systems and
changing practice of medicine (SA) [Modell], 347
Management information systems
profitability of surgeon's common procedures
impact on overall hospital profitability (OC) [Dexter, Macario, Cerone], 457
Medical practice management
profitability of surgeon's common procedures
impact on overall hospital profitability (OC) [Dexter, Macario, Cerone], 457
Medicine
managed care and health care delivery systems
changing practice of (SA) [Modell], 347
Methohexital
in eye surgery
excitatory phenomena of, decreased by alfentanil (OC) [Khalil, Howard, Mankarious, Campos, Kellaway, Chuang, Ruiz], 469
Methylene blue crystals
Laser-Shield II endotracheal tube
occlusion of pilot tube of, by (CR) [Hashimoto, Armstead], 522
Metoclopramide
emesis control with
in laparoscopic cholecystectomy comparison of droperidol-ondansetron, droperidol-metoclopramide, and perphenazine, for (OC) [Steinbrook, Gosnell, Freiberger], 494
Mitochondrial myopathy
in pediatrics
complex I respiratory chain enzyme deficiency; anesthesia for (CR) [Cheam, Critchley], 524
Morphine
in hypernephroma
subcutaneous vs. intrathecal administration of, for pain control (CR) [Devulder], 163
Motor vehicle accident injury
Hernia, traumatic diaphragmatic
intraoperative management of chronic, previously undiagnosed (CR) [Katz, Belenker, Poppers], 506
Moyamoya disease
in cesarean section
propofol management for (CR) [Furuya, Matsukawa, Ozaki, Kumazawa], 242
Mucoid impaction
in pediatrics
nasal intubation in child with upper respiratory infection (CR) [Cohen, Anderson], 327
Muscle relaxants
costs of
impact of price labeling of, on cost consciousness of anesthesiologists (OC) [Lin, Miller], 401
Myasthenia gravis
hypothermic cardiopulmonary bypass in (CR) [Ishimura, Sata, Matsumoto, Takizuka, Shigematsu], 228
Myocardial ischemia
in retinal surgery
ST segment changes after (OC) [Gozal, Drenger, Robertson, Davis], 297
Myocarditis
in child (LE) [Howard], 353 (Reply [Liang]), 353

N
Naltrexone
and opioid detoxification
spontaneous ventilation and (OC) [Hoffman, Berkowitz, McDonald, Hass], 372

Nausea and vomiting
dolasetron mesylate for
oral administration of; multicenter, double-blind, placebo-controlled study (OC) [Diemunsch, Korttila, Leeser, Helmers, Wilkey, Navé, Radke, Hahne, Brown], 145
in laparoscopic cholecystectomy
comparison of droperidol-ondansetron, droperidol-metoclopramide, and perphenazine, for (OC) [Steinbrook, Gosnell, Freiberger], 494
ondansetron
meta-analysis of
postoperative emesis control with (OC) [Figuredo, Canosa], 211
randomized, double-blind, dose-response study, in prevention of postoperative (OC) [Dershwitz, Conant, Chang, Rosow, Connors], 314
total abdominal hysterectomy
postoperative emesis control with combination droperidol-ondansetron vs. droperidol alone (OC) [Riley, McKenzie, Tantisira, Hamilton], 6
Needles
spinal-epidural
evaluation of single-lumen, dual-orifice; effects of bevel orientation and modified technique (OC) [Pan], 286
Neostigmine
gynecologic surgery
combined intrathecal fentanyl and, for postoperative pain relief after abdominal hysterectomy (OC) [Lauretti, Mattos, Reis, Pereira], 291
Nephrectomy, donor
and split torso positioning
effects of laparoscopic surgery and, on respiratory mechanics (OC) [Fahy, Barnas, Flowers, Jacobs, Plotkin, Delaney], 103
Nephrotoxicity
and sevoflurane
renal function during and after hypotensive anesthesia with (OC) [Hara, Fukusaki, Nakamura, Sumikawa], 539
Nerve, bilateral obturator
continuous 3-in-1 blockade of, for postoperative analgesia after bilateral femoral shaft surgery (CR) [Capdevila, Biboulet, Bouregba, Rubenovitch, Jaber], 606
in transurathral prostate resection
stimulation of, during electrovaporization (CR) [Shulman, Vellayappan, Monaghan, Coukos, Krenis], 518
Neurologic symptoms, transient
and procaine spinal anesthesia
pilot study of incidence of (OC) [Axelrod, Alexander, Brown, Schork], 404
Nicardipine
and electroconvulsive therapy
effect of labetalol and, on acute hemodynamic response to (OC) [Avramov, Stool, White, Husain], 394
Nondepolarizing neuromuscular blocking drugs
cisatracurium
effects of, in pediatrics, during halothane-nitrous oxide anesthesia (OC) [Brandom, Woelfel, Ference, Dayal, Cook, Kerls], 195
rocuronium
onset and recovery of neuromuscular blockade after two doses of, in children (OC) [Ross, Dear, Dear, Margolis, Ginsberg], 631
Nursing labor intensity
anesthesia clinical pathways to improve processes, outcomes, and to reduce, in ambulatory orthopedic surgery (OC) [Williams, DeRiso, Engel, Figallo, Anders, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 561
computer simulation of productivity of, from extubation of coronary artery bypass patients (OC) [Dexter, Macario, Dexter], 593
Nutrition
in critically ill postsurgical patients (OC) [Sun, Oberlander, Huang, Weissman], 302
oral intake policies during labor and delivery
national survey (OC) [Hawkins, Gibbs, Martin-Salvaj, Orleans, Beaty], 449

O
Ondansetron
hysterectomy, total abdominal
postoperative emesis control with combination droperidol-ondansetron vs. droperidol alone (OC) [Riley, McKenzie, Tantisira, Hamilton], 6
in laparoscopic cholecystectomy
comparison of droperidol-ondansetron, droperidol-metoclopramide, and perphenazine, for emesis control (OC) [Steinbrook, Gosnell, Freiberger], 494
meta-analysis of
postoperative emesis control with (OC) [Figuredo, Canosa], 211
randomized, double-blind, dose-response study
and prevention of postoperative nausea and vomiting (OC) [Dershwitz, Conant, Chang, Rosow, Connors], 314
Operating room
time interval between cardiac surgery cases (OC) [Melnik, Tessler, Wahba], 377
Operations research
computer simulation of nursing productivity changes, from extubation of coronary artery bypass patients (OC) [Dexter, Macario, Dexter], 593
Opioid use
in chronic pain
protocol-contract for, in patients without malignancy (SA) [Kirkpatrick, Derasari, Kovacs, Lamb, Miller, Reading], 435
Opioid detoxification
spontaneous ventilation increased by (OC) [Hoffman, Berkowitz, McDonald, Hass], 372
Oral intake policies during labor and delivery
national survey (OC) [Hawkins, Gibbs, Martin-Salvaj, Orleans, Beaty], 449
Oropharyngeal airway, cuffed
in spontanous ventilation
comparison of LMA, face mask and, in; physiological dead space/tidal volume ratio during (OC) [Casati, Fanelli, Torri], 652
Orthopedic surgery
ambulatory
anesthesia clinical pathways to improve processes, outcomes, and to reduce nursing labor intensity in ambulatory orthopedic surgery (OC) [Williams, DeRiso, Engel, Figallo, Anders, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 561
effects of regional anesthesia clinical pathway techniques on process efficiency and recovery profiles in (OC) [Williams, DeRiso, Figallo, Anders, Engel, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 570
cemented hip arthroplasty
large pulmonary embolus during; no systemic hemodynamic consequences (CR) [Oxorn, Edelist], 238
femoral shaft, bilateral
continuous 3-in-1 nerve blockade for postoperative pain relief after (CR) [Capdevila, Biboulet, Bouregba, Rubenovitch, Jaber], 606
hypothermia during
changes in body temperature following deflation of limb pneumatic tourniquet (OC) [Akata, Kanna, Izumi, Kodma, Takahashi], 17
regional anesthesia for

remifentanil vs. propofol as adjuncts to (OC) [Mingus, Monk, Gold, Jenkins, Roland, and Remifentanil 3010 Study Group], 46

Oximetry, cerebral
near infra-red
use of, in awake carotid endarterectomy (OC) [Carlin, McGraw, Calimlim, Mascia], 109

Oxygenation, apneic
patient-controlled analgesia associated with (CR) [Smyth, Egan], 499

P

Pain
cancer
in hypernephroma subcutaneous vs. intrathecal administration of morphine for (CR) [Devulder], 163
cataract surgery
peribulbar and retrobulbar combination anxiolysis and pain associated with (OC) [Boezaart, Berry, Laubscher, Nell], 204
chronic
protocol-contract for opioid use during, in patients without malignancy (SA) [Kirkpatrick, Derasari, Kovacs, Lamb, Miller, Reading], 435
gynecologic surgery
combined intrathecal fentanyl and neostigmine for postoperative, after abdominal hysterectomy (OC) [Lauretti, Mattos, Reis, Pereira], 291
labor
epidural analgesia as cause of dystocia? (OC) [Thompson, Thorp, Jr, Mayer, Kuller, Bowes, Jr], 58
recall of risks after epidural analgesia for (OC) [Affleck, Waisel, Cusick, Van Decar], 141
mammoplasty, reduction
sympathetically mediated, management of; unusual complication (CR) [Steinberg, Stueber], 246
management guidelines
perioperative, in hospitalized patients; a national survey (SA) [Carr, Miaskowski, Dedrick, Williams], 77
pediatric
simethicone for treatment of postoperative abdominal discomfort in infants (OC) [Voepel-Lewis, Malviya, Burke, D'Agostino, Hadden, Siewert, Tait], 91
perioperative
management of, in hospitalized patients; a national survey (SA) [Carr, Miaskowski, Dedrick, Williams], 77

Patient anxiety
and ambulatory surgery
oral diazepam for intravenous access in same-day surgery patients (OC) [Wittenberg, Lark, Butler, Handy, Schwanky, Tait, Tremper], 13

Patient population, elderly
general vs. spinal anesthesia for
induction, maintenance, and recovery characteristics of (OC) [Fredman, Zohar, Philipov, Olsfanger, Shalev, Jedeikin], 623

Patient position
prone
heart rate variability in spinal surgery general vs. spinal anesthesia (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 656
hemodynamic evaluation of, by transesophageal echocardiography (OC) [Toyota, Amaki], 32
split torso
in donor nephrectomy; effects of laparoscopic surgery and, on respiratory mechanics (OC) [Fahy, Barnas, Flowers, Jacobs, Plotkin, Delaney], 103
Trendelenburg
and venous pressure
cross-sectional area and, of the right internal jugular vein during anesthesia: effects of Trendelenburg position, positive intrathoracic pressure, and hepatic compression (OC) [Lobato, Florete, Jr, Paige, Morey], 1

Patient satisfaction survey
efficiency of survey research in postoperative patients (OC) [Klock, Jr, Lichtor, Mingay, Toledano, Summerell, Pantle-Fisher, Roizen], 28

Patient-controlled analgesia
apneic oxygenation associated with (CR) [Smyth, Egan], 499

Pediatrics
abdominal pain
simethicone for, in infants (OC) [Voepel-Lewis, Malviya, Burke, D'Agostino, Hadden, Siewert, Tait], 91
admission, unplanned
prolonged recovery stay and, of surgical outpatient; observational study (OC) [D'Errico, Voepel-Lewis, Siewert, Malviya], 482
cisatracurium
effects of, during halothane-nitrous oxide anesthesia (OC) [Brandom, Woelfel, Ference, Dayal, Cook, Kerls], 195
facemasks, scented
safety of (LE) [Coté; Berman, Mayhew], 262 (Reply [Hinkle], 262
hyperthermia, nonmalignant
in patient undergoing bi-directional Glenn procedure (CR) [Leung, Jahr, Hotz, Pollock], 427
malpractice issues
infant informed consent, IVs, and intubation (DD) [Liang, Coté], 73 myocarditis (LE) [Howard], 353 (Reply [Liang]), 353
pulmonary aspiration in
incidence and outcome in general anesthesia (OC) [Borland, Sereika, Woelfel, Saitz, Carrillo, Lupin, Motoyama], 95
respiratory chain enzyme, complex I deficiency
anesthesia for (CR) [Cheam, Critchley], 524
rocuronium in
onset and recovery of neuromuscular blockade after two doses of (OC) [Ross, Dear, Dear, Margolis, Ginsberg], 631
sevoflurane in
high concentration vs. incremental induction of; comparison of induction times, vital signs, and complications (OC) [Epstein, Stein, Marr, Lessin], 41
upper respiratory infection in
mucoid impaction after nasal intubation (CR) [Cohen, Anderson], 327

Performance standards
setting of, for anesthesia department (SA) [Vitez, Macario], 166

Perioperative period
ambulatory orthopedic surgery
anesthesia clinical pathways to improve processes, outcomes, and to reduce nursing labor intensity in ambulatory orthopedic surgery (OC) [Williams, DeRiso, Engel, Figallo, Anders, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 561
effects of regional anesthesia clinical pathway techniques on process efficiency and recovery profiles in (OC) [Williams, DeRiso, Figallo, Anders, Engel, Sproul, Ilkin, Harner, Fu, Nagarajan, Evans, III, Watkins], 570

Perphenazine
emesis control with
in laparoscopic cholecystectomy
comparison of droperidol-ondansetron, droperidol-metoclopramide, and, for (OC) [Steinbrook, Gosnell, Freiberger], 494

Pharmacy savings
and clonidine premedication (OC) [Valles, Samso, Vilar, Gallart, Puig], 36

Plasma protein binding
ketorolac; influence of plasma expansion on (OC) [Gravenstein, Suri, Derendorf, Koska], 464

Pneumonia, massive contralateral
in lung resection (CR) [Schweizer, de Perrot, Hohn, Spiliopoulos, Licker], 678
Pollutants
and anesthetic gas emissions (LE) [Singh], 354
Postoperative assessment
patient satisfaction
efficiency of survey research in (OC) [Klock, Jr, Lichtor, Mingay, Toledano, Summerell, Pantle-Fisher, Roizen], 28
Postanesthesia care unit
factors influencing stay
prospective analysis (OC) [Seago, Weitz, Walczak], 579
pediatric outpatient surgical patient
prolonged recovery stay and unplanned admission of; observational study (OC) [D'Errico, Voepel-Lewis, Siewert, Malviya], 482
Preeclampsia, severe
continuous spinal anesthesia in cesarean section (CR) [Overdyk, Harvey], 510
Pregnancy
epidural analgesia
in labor; cause of dystocia? (OC) [Thompson, Thorp, Jr, Mayer, Kuller, Bowes, Jr], 58
recall of risks following (OC) [Affleck, Waisel, Cusick, Van Decar], 141
fentanyl, sufentanil, and bupivacaine 0.125% analgesic dose-response relationship for, during labor (OC) [Herman, Scheu, Van Decar, Rubin, Gadalla, Koff, Reynolds], 670
fluid bolus
not necessary before intrathecal fentanyl administration for labor (OC) [Shannon, Ramanathan], 452
intrathecal fentanyl and sufentanil
for labor analgesia; comparison of three doses of (OC) [Gaiser, Cheek, Gutsche], 488
Moyamoya disease
propfol for, during cesarean section (CR) [Furuya, Matsukawa, Ozaki, Kumazawa], 242
oral intake policies during labor and delivery
national survey of (OC) [Hawkins, Gibbs, Martin-Salvaj, Orleans, Beaty], 449
preeclampsia, severe
continuous spinal anesthesia in cesarean section (CR) [Overdyk, Harvey], 510
Segawa's syndrome
anesthesia for, in cesarean section (CR) [Priscu, Lurie, Savir, Rabinerson, Hagay], 153
Procaine
and transient neurologic symptoms
pilot study of incidence of, with spinal anesthesia (OC) [Axelrod, Alexander, Brown, Schork], 404
Propofol
clonidine, oral premedication and
effect on total propofol requirement (OC) [Imai, Mammoto, Murakami, Kita, Sakai, Kagawa, Tadaaki, Sugimura, Kishi], 660
hypothermic cardiopulmonary bypass
management of myasthenia gravis patient during (CR) [Ishimura, Sata, Matsumoto, Takizuka, Shigematsu], 228
Moyamoya disease
management with, during cesarean section (CR) [Furuya, Matsukawa, Ozaki, Kumazawa], 242
opioid detoxification, ultra-rapid
spontaneous ventilation during (OC) [Hoffman, Berkowitz, McDonald, Hass], 372
orthopedic and urogential surgery
remifentanil vs. propofol, as adjuncts to regional anesthesia (OC) [Mingus, Monk, Gold, Jenkins, Roland, and Remifentanil 3010 Study Group], 46
Prostate, transurethral resection of (TURP)
and ethanol monitoring of fluid absorption (ED) [Hahn], 357 new method for (OC) [Konrad, Gerber, Schuepfer, Schmucki], 360
electrovaporization during
bilateral obturator nerve stimulation, during (CR) [Shulman, Vellayappan, Monaghan, Coukos, Krenis], 518
Pseudohermaphroditism
and vecuronium
increased tolerance to, in patient with testicular feminization (CR) [Lee, Appel], 156
Pulmonary artery catheter
nonsurgical extraction of intracardiac double-knotted (CR) [Ismail, Deckmyn, Vandermeersch, Stockx], 160
Pulmonary aspiration
in pediatrics
incidence and outcome in general anesthesia (OC) [Borland, Sereika, Woelfel, Saitz, Carrillo, Lupin, Motoyama], 95
Pulmonary edema, postoperative
in previous heart transplantation
and diastolic dysfunction, secondary to (CC) [Lobato, Tang, Cole, Lewis], 331
Pulse oximetry
and apneic oxygenation
patient-controlled analgesia associated with (CR) [Smyth, Egan], 499

Q
Quality assessment system
in pediatrics
pulmonary aspiration in general anesthesia; incidence and outcome (OC) [Borland, Sereika, Woelfel, Saitz, Carrillo, Lupin, Motoyama], 95
Quality assurance
patient satisfaction survey
efficiency of research in, postoperatively (OC) [Klock, Jr, Lichtor, Mingay, Toledano, Summerell, Pantle-Fisher, Roizen], 28
Quality improvement
Anesthesia department
setting performance standards for (SA) [Vitez, Macario], 166

R
Recovery room
factors influencing postanesthesia care unit stay
prospective analysis (OC) [Seago, Weitz, Walczak], 579
pediatric outpatient surgical patient
prolonged recovery stay and unplanned admission of; observational study (OC) [D'Errico, Voepel-Lewis, Siewert, Malviya], 482
Remifentanil
carotid endarterectomy and coronary bypass grafting combined
early extubation and neurologic examination after (CR) [Gerhardt, Grichnik], 249
in orthopedic and urogential surgery
propofol vs. remifentanil, as adjuncts to regional anesthesia, in (OC) [Mingus, Monk, Gold, Jenkins, Roland, and Remifentanil 3010 Study Group], 46
Reperfusion injury
in cardiopulmonary bypass
altered reactivity to acetylcholine in pulmonary circulation (OC) [Angdin, Settergren, Astudillo, Liska], 126
Respiratory chain enzyme, complex I deficiency
anesthesia for child with (CR) [Cheam, Critchley], 524
Respiratory infection, upper
in pediatrics; mucoid impaction after nasal intubation (CR) [Cohen, Anderson], 327
Respiratory mechanics
in donor nephrectomy
effects of split torso positioning and laparoscopic surgery on (OC) [Fahy, Barnas, Flowers, Jacobs, Plotkin, Delaney], 103
Retinal surgery
ST segment changes after (OC) [Gozal, Drenger, Robertson, Davis], 297

Ringer's acetate and Ringer's lactate solutions
and body temperature
comparative effects of, on intraoperative central and peripheral temperatures (OC) [Kashimoto, Narumi, Matsukawa, Oguchi, Kumazawa], 23
ketorolac; plasma protein binding of
influence of plasma expansion on (OC) [Gravenstein, Suri, Derendorf, Koska], 464
Rocuronium
in adults
dose-response study
time course of action of vecuronium and, in adults (OC) [Xue, Liao, Liu, Tong, Zhang, Zhang, An, Luo], 410
in pediatrics
onset and recovery of neuromuscular blockade after two doses of (OC) [Ross, Dear, Dear, Margolis, Ginsberg], 631

S
Segawa's syndrome
anesthesia for, in cesarean section (CR) [Priscu, Lurie, Savir, Rabinerson, Hagay], 153
Seizures
in electroconvulsive therapy
effect of nicardipine and labetalol, on acute hemodynamic response to (OC) [Avramov, Stool, White, Husain], 394
Septic shock
and cytokines (ED) [Rosenthal], 179
Sevoflurane
acceleromyography and electromyography
comparison of, in vecuronium-induced neuromuscular blockade with Xenon or (OC) [Nakata, Goto, Saito, Ichinose, Uezono, Suwa, Morita], 200
ambulatory anesthesia
desflurane vs., recovery comparision of (OC) [Tarazi, Philip], 272
body temperature
comparative effects of Ringer's acetate and Ringer's lactate solutions on intraoperative central and peripheral temperatures with isoflurane or (OC) [Kashimoto, Narumi, Matsukawa, Oguchi, Kumazawa], 23
in pediatrics
high concentration vs. incremental induction of; comparison of induction times, vital signs, and complications (OC) [Epstein, Stein, Marr, Lessin], 41
renal effects of (ED) [Artru], 531
Simethicone
evaluation of, for postoperative abdominal pain in infants (OC) [Voepel-Lewis, Malviya, Burke, D'Agostino, Hadden, Siewert, Tait], 91
Simulation
nursing productivity changes
computer-generated study of, from extubation of coronary artery bypass patients (OC) [Dexter, Macario, Dexter], 593
Society of Office-Based Anesthesia (SOBA)
report of educational meeting (ED) [Laurito], 445
Space, cervical epidural
skin to, distances as measured by magnetic resonance imaging (OC) [Aldrete, Jr, Mushin, Zapata, Ghaly], 309
Spinal surgery
elective lumbar spine
anesthesia for (OC) [Tetzlaff, Dilger, Kodsy, Al-Bataineh, Yoon, Bell], 666
Statistical process control
and performance standards
setting of, for anesthesia department (SA) [Vitez, Macario], 166
in transurethral resection syndrome
fluid absorption monitoring (OC) [Konrad, Gerber, Schuepfer, Schmucki], 360
Stellate ganglion block
and tympanic membrane temperature (OC) [Matsukawa, Ozaki, Nishiyama, Yamaguchi, Imamura, Kumazawa], 619
Stress hormone responses
in laparoscopic cholecystectomy
comparison of three different anesthetic techniques for (OC) [Aono, Takeda, Tarver, Goto], 546
Stylet, lighted
and laryngeal mask airway
aid to blind tracheal intubation via (LE) [Agro, Brimacombe, Carassiti, Morelli, Giampalmo, Cataldo], 263
Trachlight
assessment of proper endotracheal tube placement with (OC) [Locker, Staudinger, Knapp, Burgmann, Laczika, Zimmerl, Hormann, Frass], 389
Sufentanil
epidural
in labor
determination of analgesic dose-response relationship for epidural fentanyl, bupivacaine 0.125%, and (OC) [Herman, Scheu, Van Decar, Rubin, Gadalla, Koff, Reynolds], 670
intrathecal
for labor analgesia
comparison of three doses of fentanyl and (OC) [Gaiser, Cheek, Gutsche], 488
Supplement (food) use
patient history of (ED) [Roizen], 89
Surgeons
profitability of common procedures of, and
impacting overall hospital profitability (OC) [Dexter, Macario, Cerone], 457
Survey research and methodology
pain management guidelines
management of perioperative, in hospitalized patients; a national survey (SA) [Carr, Miaskowski, Dedrick, Williams], 77
patient satisfaction
efficiency of survey research postoperatively (OC) [Klock, Jr, Lichtor, Mingay, Toledano, Summerell, Pantle-Fisher, Roizen], 28
Sympathetic nervous system
and spinal anesthesia
power spectral heart rate analysis shows decrease activity of, during low bupivacaine (OC) [Tetzlaff, O'Hara, Jr, Yoon, Schubert], 133
Systolic pressure variation
acute blood loss; predicts response to (OC) [Ornstein, Eidelman, Drenger, Elami, Pizov], 137

T
Temperature, body
and inhalational anesthesia
comparative effects of Ringer's acetate and Ringer's lactate solutions on intraoperative central and peripheral temperatures with isoflurane or sevoflurane (OC) [Kashimoto, Narumi, Matsukawa, Oguchi, Kumazawa], 23
in cardiopulmonary bypass
transfusion requirements influence on (OC) [Ereth, Nuttall, Oliver, Jr, Santrach, Price, Schaff], 588
in orthopedic surgery
changes in body temperature following deflation of limb pneumatic tourniquet (OC) [Akata, Kanna, Izumi, Kodma, Takahashi], 17
mild hypothermia, value of
for severe circulatory insufficiency (OC) [Yahagi, Kumon, Watanabe, Tanigami, Haruna, Hayashi, Imanaka, Takeuchi, Ohashi, Takamoto], 120
prevention of hypothermia
comparison of convective and intravenous fluid warming vs. convective warming alone (OC) [Smith, Desai, Glorioso, Cooper, Pinchak, Hagen], 380
tympanic membrane
and stellate ganglion block (OC) [Matsukawa, Ozaki, Nishiyama, Yamaguchi, Imamura, Kumazawa], 619

Testicular feminization
increased tolerance to vecuronium in (CR) [Lee, Appel], 156
Thiopental sodium
in coronary artery bypass grafting
eltanolone titration vs. etomidate and, for anesthesia induction (OC) [Tassani, Martin, Janicke, Olsson, Ott], 114
Thoracic surgery
double-lumen endobronchial tubes
comparison of placement techniques for (OC) [Boucek, Landreneau, Freeman, Strollo, Bircher], 557
thoracotomy
massive contralateral pneumonia following, for lung resection (CR) [Schweizer, de Perrot, Hohn, Spiliopoulos, Licker], 678
Thrombelastography
and whole blood coagulation assessment
differential effects of serial hemodilution with hydroxyethyl starch, albumin, and 0.9% saline on (OC) [Tobias, Wambold, Pilla, Greer], 366
Thrombosis, deep venous
and elective lumbar spine surgery (OC) [Tetzlaff, Dilger, Kodsy, Al-Bataineh, Yoon, Bell], 666
Trachlight (lighted stylet)
assessment of proper endotracheal tube placement with (OC) [Locker, Staudinger, Knapp, Burgmann, Laczika, Zimmerl, Hormann, Frass], 389
Transesophageal echocardiography (TEE)
and coronary artery aneurysm
complication of coronary artery fistula caused by; management by (LE) [Toyota, Niwa, Horiguchi, Amaki], 265
and prone position
hemodynamic evaluation of, via TEE (OC) [Toyota, Amaki], 32
Transient radicular irritation
procaine spinal anesthesia
incidence of, with (OC) [Axelrod, Alexander, Brown, Schork], 404
Transurethral resection of prostate (TURP)
electrovaporization during
bilateral obturator nerve stimulation, during (CR) [Shulman, Vellayappan, Monaghan, Coukos, Krenis], 518
ethanol monitoring of fluid absorption (ED) [Hahn], 357 new method for (OC) [Konrad, Gerber, Schuepfer, Schmucki], 360
general vs. spinal anesthesia
in elderly patient population
induction, maintenance, and recovery characteristics of (OC) [Fredman, Zohar, Philipov, Olsfanger, Shalev, Jedeikin], 623
Transfusion requirements
in cardiopulmonary bypass
temperature and duration of, as influencing (OC) [Ereth, Nuttall, Oliver, Jr, Santrach, Price, Schaff], 588
Trauma, dental
res ipsa loquitur in a case of intubation (DD) [Liang, Tinker], 432

U
Ulnar nerve motor block
assessment of, via electromyography (OC) [Atanassoff, Kelly, Ayoub, Brull], 641
Urologic surgery
prostate, transurethral resection of (TURP)
and ethanol monitoring of fluid absorption (ED) [Hahn], 357 new method for (OC) [Konrad, Gerber, Schuepfer, Schmucki], 360
electrovaporization during
bilateral obturator nerve stimulation, during (CR) [Shulman, Vellayappan, Monaghan, Coukos, Krenis], 518
regional anesthesia for urogenital surgery
remifentanil vs. propofol as adjuncts to (OC) [Mingus, Monk, Gold, Jenkins, Roland, and Remifentanil 3010 Study Group], 46

V
Vaccination, adult
and preoperative visit
use of, to complete (SA) [Brownstein, Roizen], 338
VaporTrode
electrovaporization during transurethral prostate resection (CR) [Shulman, Vellayappan, Monaghan, Coukos, Krenis], 518
Vasocontriction, cerebral
and diameter of cerebral artery
no effect of carbon dioxide on (OC) [Djurberg, Seed, Evans, Brohi, Pyper, Tjan, Al Moutaery], 646
Vecuronium
dose-response study
and time course of action of rocuronium and, in adults (OC) [Xue, Liao, Liu, Tong, Zhang, Zhang, An, Luo], 410
gonadectomy
increased tolerance to, in patient with testicular feminization (CR) [Lee, Appel], 156
Vein
femoral
massive retroperitoneal hemorrhage associated with cannulation of (CR) [Akata, Nakayama, Kandabashi, Kodama, Takahashi], 321
jugular, right internal
cannula placement (CR) [Waters, Gimenez], 232
cross-sectional area and intravascular pressure of, during anesthesia: effects of Trendelenburg position, positive intrathoracic pressure, and hepatic compression (OC) [Lobato, Florete, Jr, Paige, Morey], 1
Venous pressure
right internal jugular vein
cross-sectional area and, during anesthesia: effects of Trendelenburg position, positive intrathoracic pressure, and hepatic compression (OC) [Lobato, Florete, Jr, Paige, Morey], 1
Ventilation
apnea and
common knowledge and common sense (ED) [Stock], 181
carbon dioxide dynamics during
effects of preceding hypocapnia (OC) [Gentz, Shupak, Bhatt, Bay], 189
spontaneous
and opioid detoxification
cause of (OC) [Hoffman, Berkowitz, McDonald, Hass], 372
physiological dead space/tidal volume ratio with face mask, LMA, and cuffed oropharyngeal airways during (OC) [Casati, Fanelli, Torri], 652

X
Xenon
acceleromyography and electromyography
comparison of, in vecuronium-induced neuromuscular blockade with sevoflurane or (OC) [Nakata, Goto, Saito, Ichinose, Uezono, Suwa, Morita], 200

Y

Z